

Hagglunds BV206 Shoot Vehicle for hunter and extreme tourism

This BV206 has been specially built for use as a shoot vehicle on estates. It has been constructed to a very high standard with ...

- Bespoke Seating
- Seatbelts for 10-14 persons
- High Roof Canopy
- Integral Stairs to Rear Door

This vehicle is available in either V6 Petrol or Turbo Diesel Powerplants



THE SPECIFICATION HAGGLUND BV206

	Front Car*	Rear Car*	Total
Curb weight	2710 kg (5974 lbs)	1620 kg (3571 lbs)	4330 kg (9545 lbs)
Payload	580 kg (1279 lbs)	1670 kg (3682lbs)	2250 kg (4961 lbs)
Gross weight	3290 kg (7253 lbs)	3290 kg (7253lbs)	6580 kg (14506lbs)
Passengers	5 (6)	11	16 (17)
Cargo space	2.5 m3 (88 ft3)	5.5 m3 (194 ft3)	8 m3 (283 ft3)

* Driver 70 kg (154 lbs) included in payload

**Maximum 200 kg (441 lbs) of the payload can be carried on the roof rack

Manufacturer: Hagglund

*** Driver 70 kg (154 lbs) included in payload**

****Maximum 200 kg (441 lbs) of the payload can be carried on the roof rack**

Weight

Maximum trailer weight 2500 kg (5500 lbs)

Specific ground pressure Front/Rear car 11.6/13.6 kPa (1.68/1.97 PSI)

0.2/0.05 m sinkage

Personnel body: 200 kg`s

Cargo body: 600 kg`s

Tracks: 300 kg`s

Front car and rear car without bodies: 4,000 kg`s

Dimension BV206

Length 6900 mm

Width 1870 mm

Height

front car 2300 mm

rear car 2450 mm

Specific ground pressure

front car 11,8 kPa

rear car 13,8 kPa

PERFORMANCE

Max. speed on roads 52 km/h

in water 4 km/h

Gradeability

hard surface 100% (45°)

deep snow 30% (17°)

Range on roads 330 km

Operating temp

max + 46°C

min - 40°C

ENGINE HAGGLUND

Make and type

Industrial Ford V6 Gasoline 132 hp

Ford 4 cyl. Turbo Diesel 136 hp - NEW INSTALLATION

GEARBOX

Make Mercedes-Benz W4A-040

Type ... Automatic 4 speed forward 1 reverse

Transfer gearbox manufacturer..... Hagglungs Vehicle AB

Gear ratios

high 1.28:1

low 2.11:1

STEERING SYSTEM

Type Hydrostatic, articulated

Swept diameter 16 m
Emergency steering Standard

TRACKS

Type Moulded rubber with cord
Width 620 mm (24.4 in)
4-track drive

ELECTRICAL SYSTEM

Voltage 24 V DC
Alternator 100 A
Batteries 105 Ah, 2x12 V

FUEL

Tank contents 160 Litres
Road range 330 km with one tank filling

BREAK SYSTEM

Hydraulic disk brake as main brake and manual disk brake as emergency brake

BODIES


Material Glassfibre reinforced plastic with PVC
foam insulation

Optional Accessories and Upgrades Include for Hagglands BV206 Shoot Vehicle:


1. Full Resprays (Internal & External)
2. Radio Communications
3. Eurobar Light Bar Inc. 4 x Spotlights
4. Intercoms
5. Front Mounted Recovery Winch
6. Customised Interiors
7. Jerry Cans
8. Bush Bars
9. Light Bars
10. Additional Lighting
11. Colour Coded Canvas



BV206 PERFORMANCE DATA



www.armyuk.co.uk



Maximum Swimming speed 3 km/h